

Field List

of the

BIRDS

OF

MARYLAND

by

Marshall J. Iliff Robert F. Ringler James L. Stasz

Maryland Avifauna Number 2

Maryland Ornithological Society Third Edition, May 1996



Field List

of the

BIRDS

OF

MARYLAND

by

Marshall J. Iliff Robert F. Ringler James L. Stasz

Maryland Avifauna Number 2

Maryland Ornithological Society

Third Edition, May 1996

MARYLAND ORNITHOLOGICAL SOCIETY Cylburn Mansion, 4915 Greenspring Avenue Baltimore, Maryland 21209 (800)823-0050; (410)244-0032

The Maryland Ornithological Society [MOS] is a nonprofit, statewide organization composed of people who are interested in birds and nature. It was founded in 1945 and incorporated in 1956 to promote the study and enjoyment of birds. The purposes of MOS are to promote knowledge, appreciation, and conservation of our natural resources, to maintain a system of sanctuaries, to encourage conservation of birds and bird habitat, and to record and publish observations of bird life.

Local chapters throughout the state offer field trips, bird counts, and conservation projects for members and guests of all ages. Lively and informative programs complement regular meetings where members and guest speakers share their knowledge and expertise. Beginners as well as experienced birders are invited and encouraged to become members of MOS.

Your membership in the Society provides many tangible benefits such as support for the sanctuary program, scholarships and research grants, and subscriptions to publications of the Society. More important, however, your membership means you become a partner with those who care about wise stewardship of our natural resources.

Statewide activities include an annual conference; a speakers' bureau; a sanctuary program; research grants and scholarship program; publication of a quarterly journal, *Maryland Birdlife*; and a bimonthly newsletter, *The Maryland Yellowthroat*.

MOS vigorously supports local, state, national, and international conservation causes relating to birds and bird habitat.

MOS Sanctuary Program

MOS manages a number of sanctuaries throughout Maryland. MOS sanctuaries encompass areas of unique ecological significance as well as typical Maryland habitats from the mountains to the coastal plain. Protection, education, and research are the primary goals of the MOS sanctuary program. The MOS sanctuary committee and local chapters oversee the maintenance and use of these sanctuaries.

MOS sanctuaries are open to the public by advance reservation. Schools, scouts, and other organized groups are invited to visit. A guide to MOS sanctuaries is available on request.

Scholarships and Research Grants

MOS annually awards a number of scholarships to teachers, youth leaders, and students who are involved with conservation and environmental education. MOS also awards research grants to encourage studies of birds in Maryland. Papers on the results of research projects are presented at the annual conference of the Society. More information on grants and scholarships can be obtained by writing MOS, Research or Scholarship Committee.

PREFACE

This Field List presents, in summary form, a complete list of the birds of Maryland, with their dates of occurrence and relative abundances at all times of the year. Counties in which each species has been found and the preferred habitats of each species are given. Nomenclature follows the A.O.U Checklist (1983) with supplements through 1995. The charts on pages 6-47 include all 399 species on the official list of the Maryland Ornithological Society [MOS]. These species have been verified by specimen, photograph, or other documentation and accepted by the Maryland/District of Columbia Records Committee [MD/DCRC]. Also included in the main list are 11 unsubstantiated species that await MD/DCRC approval before they can be included on the official list. These species are marked with hollow stars after the species' name. Appendix 1 provides information on some field identifiable subspecies, hybrids, and forms. Not included are exotic waterfowl, parrots and other common cage birds which are probably not of natural occurrence. Appendix 3 lists species which have been reported with insufficient information to substantiate the identification or that the bird was of wild origin.

The dates of occurrence, relative abundance, and extreme egg dates are updated through 18 May 1996. In 1977, the Maryland list stood at 374 species with 16 additional species listed as hypothetical. The past 19 years of reports from scores of observers have added much to our knowledge of birds in Maryland. 25 species have been added and the status of many others has changed. While this edition of the Field List contains much more information than any of its predecessors, there are still many gaps. We hope the Field List will stimulate observers to report well-documented sightings to be included in future editions.

KEY TO GRAPHICS PAGE

Following the name of each species is the Habitat Code. The habitats for each species are listed in decreasing order of preference; breeding habitats are capitalized. Next is a graph of occurrence and abundance through the calendar year. Five line widths indicate statewide comparative abundance. The lines are based upon estimates of the actual total abundance within Maryland and do not distinguish species evenly distributed across the state from those of limited distribution. The broadest line signifies that the species is abundant during the indicated time of the year. The thinnest line indicates that the species is rare and of annual occurrence. A dashed line means the species is present in most years but not reported annually. A *bold* dotted line indicates that the species is unreported most years. The abundances of some species are highly variable from year-to-year and these irruptive occurrences have been depicted by an alternation of appropriate line widths. A fine dotted line displays the time period for a single occurrence of more than 5 days. Arrows indicate the first and last dates of a report; tilted stars are used for reports requiring MD/DCRC review. Individual occurrences of 5 days or less are marked by a small square, solid star. or hollow star. A small square is a report which did not require MD/DCRC review; stars indicate reports requiring MD/DCRC review. The solid stars show

reports accepted by MD/DCRC. Hollow stars indicate reports which have not yet been reviewed or have not met the standards for acceptance by MD/DCRC [see Appendix 2].

Nonitalic numbers indicate extreme early or late dates of migration. A *tick mark* and an *italic number* show the earliest and latest dates for viable eggs (but not necessarily full clutches) in Maryland. Documentation of reports before or after these dates should be sent to <u>Maryland Birdlife</u>. Finally, *question marks* indicate the status is uncertain and reports of all sightings during that period are encouraged.

KEY TO CHECKLIST PAGE

This page displays species' occurrences for Maryland's 23 counties, with Baltimore City included in Baltimore County, (roughly arranged northwest to southeast) and the pelagic zone (3-200 miles offshore). The symbol for a species' occurrence in each county is shown in the lower right-hand corner of each block. A *large solid square* marks a species easily found almost every year in the appropriate season and habitat. A *large hollow square* notes species which might be found every 3-8 years. Species with very few records have been marked by a *small square*, *solid star*, or *hollow star*. A *small square* is a report which did not require review by MD/DCRC; stars indicate reports requiring review by MD/DCRC. The *solid stars* show reports which have been accepted by MD/DCRC. *Hollow stars* indicate reports which have not yet been reviewed or have not met the standards for acceptance by MD/DCRC [see Appendix 2]. "X" denotes extirpated or extinct species. *Question marks* indicate the status is uncertain in the county and reports of all sightings are encouraged.

The upper right corner of each block shows the species' breeding status in the county. "B" signifies confirmed or probable breeding after 1977 and follows the standards of the <u>Maryland Breeding Bird Atlas</u>. Historic (before 1978) confirmed breeding, but with no records since, is indicated by "H". A "?" signifies that the breeding status in the county is uncertain.

Acknowledgements:

The Field List represents the consensus opinions of the authors after examination of the published reports and consultation with knowledgeable observers across the state. These include: Henry T. Armistead, Ann Bishop, Rick Blom, Bob Boxwell, Dave Brinker, Ian Cornelius, Patty Craig, Dave Czaplak, Lynn Davidson, Sam Dyke, Jeff Effinger, Ethel Engle, Jane Farrell, Greg Gough, Gary Griffith, Jim & Trish Gruber, Mark Hoffman, Ottavio Janni, George Jett, Michael O'Brien, Paul O'Brien, Fran Pope, Kyle Rambo, Jan Reese, Chandler Robbins, Gene Scarpulla, Teresa Simons, Joanne Solem, Glenn Therres, Mary Ann Todd, Charles Vaughn, Dave Webb, and Hal Wierenga. We are especially grateful to Paul Fritz, Jim Paulus, and Sue Ricciardi for supplying unpublished hawk counts and to Margaret Donnald, Jim Gruber, and Barbara Ross for providing banding information that helped us determine the migration timing of Gray-cheeked and Bicknell's thrushes. Mark Hoffman prepared the background information about MD/DCRC; Phil Davis supplied a copy of the current MD/DCRC review criteria. In addition to providing Breeding Bird Survey data, Bruce Peterjohn was instrumental in coordination with the MD/DCRC.

The authors are solely responsible for any errors.

Bibliography:

American Ornithologists' Union. 1983. <u>Check-list of North American</u> <u>Birds</u>. 6th Edition.

American Ornithologists' Union. 1985. 35th Supplement to American Ornithologists' Union <u>Check-list of North American Birds</u>. Auk v.102.

American Ornithologists' Union. 1987. 36th Supplement to American Ornithologists' Union <u>Check-list of North American Birds</u>. Auk v.104.

American Ornithologists' Union. 1989. 37th Supplement to American Ornithologists' Union <u>Check-list of North American Birds</u>. Auk v.106.

American Ornithologists' Union. 1991. 38th Supplement to American Ornithologists' Union <u>Check-list of North American Birds</u>. Auk v.108.

American Ornithologists' Union. 1993. 39th Supplement to American Ornithologists' Union <u>Check-list of North American Birds</u>. Auk v.110.

American Ornithologists' Union. 1995. 40th Supplement to American Ornithologists' Union <u>Check-list of North American Birds</u>. Auk v.112.

Robbins, Chandler S. (ed.). (in press). <u>Breeding Bird Atlas of the Birds of</u> <u>Maryland.</u> University of Pittsburgh Press.

Robbins, C.S. & D. Bystrak. 1977. <u>Field List of the Birds of Maryland</u>, 2nd Edition. Maryland Avifauna No. 2. Maryland Ornithological Society. 45pp.

Robbins, C.S. & W.T. Van Velzen. 1968. <u>Field List of the Birds of</u> <u>Maryland</u>, 1st Edition. Maryland Avifauna No. 2. Maryland Ornithological Society. 45pp.

Stewart, R.E. and C.S. Robbins. 1958. <u>Birds of Maryland and the District</u> <u>of Columbia</u>. U.S. Department of the Interior, Fish and Wildlife Service. North American Fauna No. 62. vi & 401pp.

HABITAT CODES	a Abandoned (fallow) fields	b Bottomland forests, floodplains, swamps	c Cow or horse pastures	d Upland deciduous forests	e Estuaries and bays	f Fresh marshes	g Gardens, orchards, farmyards	cord h Hayfields	j Jetties	k Pine woods	I Littoral zone (ocean 0-3 miles)	m Muddy fields (plowed, harvested)	n Northern conifers	o Ocean beaches, sand flats	p Pelagic zone (ocean beyond 3 miles)	q Dredge spoil impoundments	r Reservoirs, rivers, ponds	s Salt marshes	vland Birdlife t Tidal mud flats	u Urban areas	v Hawk migration corridors	w Wood margins, hedgerows, scrub	×	z Sanitary landfills
GRAPHICS CODES		Solid Lines: annual relative abundance			Broken Lines less than some		Irruptive occurrences	** Period of occurrence for a single record	 At least one record, report to Marvland Birdlife 	* At least one record, report to MD/DCRC	pprox At least one report, report to MD/DCRC	17 20) First and last our dates	23 Tvoical early or late migration date	2 Status incertain in this time neriod		CHECKLIST CODES	Likely to be found in the county every year	Likely to be found in the county less than every year	 At least one record from the county, report to Marvland Birdlife 	* At least one record from the county report to MD/DCRC	* At least one report from the county report to MD/DCBC		? Status uncertain in the county	B Has bred in the county after 1977

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Red-throated Loon	le]					i	¥ ^ 9			29			
Common Loon	elrp							I					I
Pied-billed Grebe	ReF					11/	201						
Horned Grebe	elr					23				28	i		
Red-necked Grebe	rel				-	Y	׫				27		
Eared Grebe	eri	:				- 19 			23	•			8
Western Grebe*	Ŀ	¥			*	¥	*					- 444	****
Yellow-nosed Albatross*	٩												4
Northern Fulmar	٩	2		İ		 	12 ?			26	•	6	2
Cory's Shearwater	٩			•		9.					128		
Greater Shearwater	٩					თ							و
Sooty Shearwater	Ч				23			÷ .	- 28				
Manx Shearwater	٩	•			23		26	•		ć	•	•	:
Audubon's Shearwater	Ы							50		26			
W son's Storm-Petrel	ple				23						- 28	~	
White-faced Storm-Petrel*	٩								*				
Leach's Storm-Petrel	٩				0. m		:		:		12		
Northern Gannet	ple						14	•	:	:	 	Ī	
American White Pelican*	efr		\$		r-4	日本日本	*	一日日	\$	4 4	4 *		-42
Brown Pelican	Elo	:	•	얻•		/23				14		0°	:

	Ga	A	AI Wa	Ъ	Ca Mo Ho Ba	10H	lo B	a Ha	aC	CePGAA Ct ChSMKe	AA	ct	Ch	SM	Ke	QACn	Cu	Tal	V OC	<u>Vi</u>	No	Do Wi So Wo Pe	-	MD
Red-throated Loon				•	-																			
Common Loon						-		-																
Pied-billed Grebe				<u> </u>		II				8				I					~		•	œ I		
Horned Grebe				E																	-			
Red-necked Grebe				•		L	•	E																
Eared Grebe				•		-		-											•	-				
Western Grebe*	*				L	- 2	4	+							42							*		
Yellow-nosed Albatross*																							*	
Northern Fuimar																								
Cory's Shearwater																								
Greater Shearwater																								
Sooty Shearwater																								
Manx Shearwater																								
Audubon's Shearwater																			4					
Wilson's Storm-Petrel												,				•								
White-faced Storm-Petrel [×]					-		-											_					*	
Leach's Storm-Petrei																•		•						
Northern Gannet								1																
American White Pelican*	ć							4		بر الا	ال ا ال	*		42	*				\$			22		
Brown Pelican					-1			-1	-1		3					1		1			-	8		

Great Cormorant eir Double-crested Cormorant er Anhinga* r Anhinga* r Fregata species* lep American Bittern Fs American Bittern Fs American Bittern Fs American Bittern Fs Great Blue Heron rfs Great Egret sfr Snowy Egret sfr Little Blue Heron sfr Cettle Egret cm Cettle Egret cm Green Heron sfr Green Heron sfr Black-crowned Night-Heron sfr Yellow-crowned Night-Heron sfr Yellow-crowned Night-Heron sfr		22 * * * ******************************	N A	25			
ested Cormorant Eor r pecies* lep Bittern Fs ern Fs ern Fs ern Fs ern Fs et strEs Heron sfEr Heron sfEr Heron sEr mod Night-Heron ser on rBEs on fsr fsr fsr fsr fsr fsr fsr fsr		112 XX XXXXXXXX 130 130	\$9 X				
r r Peccies* lep Bitterin Fs Bitterin Fs erin F erin F erin F et strft et strft Heron stfr et stfr Heron stfr et stfr Heron stfr wned Night-Heron stfr owned Night-Heron stfr fsr fsr fsr fsr		138 - 110 138	R zj	8	ļ		
Iap Fs ************************************		7 2 × ×	18)	¥	\$		
Fern Fs ************************************		/10	18/	な な			
F ···· ···· /28 leron rffsB ···· 6 sfrE sfrE ···· 6 eron sfEr ···· 6 filt ···· ···· 6 filt ···· ···· 7		4					
leron rfEsB strE sfrE eron sfEr eron sEr eron sEr eron sEr eron sEr eron sEr ed Night-Heron sErf ned Night-Heron sErf fsr r fsr r	9 9		24	11/	12	:	:
site site 6 eron site 6	(Q) (Q)						
eron sfEr eron sfEr eron ser eron ser eron ser efon ser ed Night-Heron ser hed Night-Heron ser fsr efon ser efon se	4	NA I	29				
eron sfer							
eron ser eron ser e 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	H	/53	/23 \ 4			i	
ed Night-Heron sErf est 13		/15	1/62				
ed Night-Heron serf 13 ned Night-Heron serB 13	œ.	/9		301			29
SErf sErf fsr		1	26				i
on sErB		/14 23/					
fsr	Ω.	121	18		:	0v ^	
		•	15		= × · <		
Glossy Ibis stErm		/20	12/		+		
Roseate Spoonbill* s		*		*			
Wood Stork*			× * * xizte - xalanek	• *	*		

ant ant ant ant ant ant and a		G B	A	Wa	Ľ	CaMoHo	10F	-9	Bar	HaC	Ce PG AA	GA	AC	0	h S	MK	Ct Ch SMKe QA Cn Ta	ACI	Ta		Do Wi So Wo Pe	So	No	0 O	Σ
	Great Cormorant					\$2	*		E							-			-					R	-
	Double-crested Cormorant								-					-									<u>م</u>	L	
••••••••••••••••••••••••••••••••••••	Anhinga*				+		12	*	*	-			-10	{2	1	-	-		P.4	19			*		
i.e.	Fregata species		-																				+	4	
H -	American Bittern											I	I									<u> </u>		-	
	Least Bittern	I.	<i>m</i> •	•	۵		mL	L	മി	<u>a</u> i L	8	60	60 II	œ٦	-	æ	â	œ.			-				
	Great Blue Heron		<u> </u>			ш	Ω.	<u>م</u>	-	01	-	<u>.</u>	m	മ		۵.	201	0						R	
	Great Egret	Ľ		E			-								I	Ω.		I			-	άΩ 📕			
	Snowy Egret	3	•			-0		E	те ССО			-				I		I				۵ 🖿			
Junction Junction <td< td=""><td>Little Blue Heron</td><td>•</td><td>•</td><td>•</td><td></td><td>- L</td><td></td><td>L</td><td>-</td><td></td><td></td><td>-</td><td></td><td></td><td>- E.</td><td>T</td><td></td><td></td><td></td><td></td><td>-</td><td><u> </u></td><td></td><td></td><td></td></td<>	Little Blue Heron	•	•	•		- L		L	-			-			- E.	T					-	<u> </u>			
Distance Distance <td< td=""><td>Tricolored Heron</td><td></td><td></td><td></td><td>•</td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td><td></td><td>- L</td><td></td><td>TL</td><td></td><td>IL</td><td></td><td></td><td></td><td>20</td><td></td><td>_</td><td></td></td<>	Tricolored Heron				•		-							- L		TL		IL				20		_	
Main Product of Night-Heron Main Product of Night-Heron Main Product of Nigo	Cattle Egret					E	L	L	- 11	0			-		t		-	I							
ad Night-Heron ad Night-Heron ad Night-Heron ad Night-Heron ad Night-Heron ad Night-Heron base ad Night-Heron	Green Heron	<u>م</u> ا	601		<u>م</u>	-	<u> </u>	<u> </u>	m		601	0	60 1	0	0	0	-	0						-	
ed Night-Heron	Black-crowned Night-Heron	-							<u> </u>	۵.	Ĩ	I	II		IL	I									
	Yellow-crowned Night-Heron	•	•		L	*			۵	-	•	0	E		- 5			-			m	<u> </u>			
	White Ibis		•		•		-	•	-	-	-				-	1		-							
	Glossy Ibis		•	h.			- L.	E								IN	-	I				αΩ I			
3	Roseate Spoonbili [*]													-		-						*			
	Wood Stork*		*						*			*	*	*							łt				

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Fulvous Whistling-Duck*	ł		一般な	-	포.		ż	:- tr - tr	- \$1	4	42	* *	なった
Black-belied Whistling-Duck	r						*						
Tundra Swan	emr		I			1		1					l
Mute Swan	EB			18			2V						
Greater White-fronted Goose	erm					0 •				10			
Snow Goose	msef			Ā			i						
Ross' Goose	msef		L	₽.							15		
Brant	elsj				121	i	4. 5	•		00	1		
Canada Goose	eRFm						181			I	ł		
Wood Duck	Brfl			11				251					
Green-winged Teal	Fsri											1	
American Black Duck	SERI			*					24				
Mallard	REFS			21/					10				
Northern Pintal	freSI				27		121	-					1
Bite-winged Teal	Frs		24			45		-					
Cinnamon Teal [‡]	5)		*	立	A H	4		-0-		*		*	
Northern Shoveier	Frsl						2/12	• • •	0,1				1
Gadwall	Serf					14		161					
Eurasian Wigeon	rî						(¢]			
American Wigeon	LTI					i			<u>ب</u>		ļ	I	
Canvasback	ēr												

	Ga	A N	Wa Fr		CaMoHo	Ho	Ba	Ца	Ce	PGAA		0 5	h S	Ch SMKe	e O	QACn	n Ta		Do Wi	So	SoWo	Ъ Ф	MD
Fulvous WhistIIng-Duck*			-			- 43					-{3			47	+				*		4		
Black-belied Whistling-Duck											-	×											
Tundra Swan	-						- 8				-		-	-	-								
Mute Swan	~	~	~	~	0	6		۵ .	<u></u>		<u> </u>		m	œ	<u>م</u>		0	с с	 م	~[
Greater White-fronted Goose	•		_		-					P			-			-					H		
Snow Goose	•	-		- L									E		-	-							-
Ross' Goose						-																	
Brant	•	-		-						•		-	B										
Canada Goose		<u> </u>	œ 🛛	<u>m</u>	20	01		8	<u> </u>	œ 🔳	m	œ .		1	<u>م</u>	۵1	0	0	ш Ш				
Wood Duck	ш	0	<u>م</u>	œ.	m					60	ω.	<u>m</u>	60	co	c0 🗎	m			8		<u>m</u>		
Green-winged Teal	-	-	-	-	-					-	-	- 10		-	-	-							-
American Black Duck	60			8	<u>m</u>	8	0			<u>م</u>	۵.	юТ	m	0	0	<u> </u>							
Mallard	<u> </u>	m	m	m	2			ш Ш	m 1	<u> </u>	<u>m</u>	201	60	m		<u>60</u>	0	0	Ω II				
Northern Pintail														L	-							L	
Blue-winged Teal					-	T		I	Ω		II	8	-	T		-	_		Ξ.	6			
Cinnamon Teal [*]		-		-	-				1			-	-	-		-	-				<u>c</u> (1		-
Northern Shoveler		-	L	L					10	-				L					0				
Gadwall			-				I				I								0		Ê		
Eurasian Wigeon														-		1					-		
American Wigeon															-							- L.	
Canvasback				-		_				-			-	-	_	-	-						

Redhead er γ γ γ Tufted Duck ² e γ γ γ Tufted Duck ² eri γ γ γ Greater Scaup eri γ γ γ Lesser Scaup eri γ γ γ Common Eider je γ γ γ King Eider je γ γ γ Ving Eider je γ γ γ King Eider je γ γ γ Black Scoter lejr γ γ γ White-winged Scoter lejr γ γ γ White-winged Scoter lejr γ γ γ White-winged Scoter		Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
uck rie $1/2$ $1/2$ $1/2$ e e $1/2$ $1/2$ $1/2$ e i $1/2$ $1/2$ $1/2$ i i $1/2$ $1/2$ $1/2$ $1/2$ i i i $1/2$ $1/2$ $1/2$ i i i i i i	Redhead	er												
e x eeeeeeefjef	Ring-necked Duck	rfe					/2	~~~	:					
erl 15 15 15 erl 16 16 15 15 16 16 16 16 16 16 16 16 9 9 16 16 16 9 9 16 16 16 9 9 16 16 16 9 9 16	Tufted Duck ²²	٥		公										
erl Ie If <	Greater Scaup	eri	I	I								I		
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Lesser Scaup	erl		I							i	I		
Ile 9 10 <td>Common Eider</td> <td>jle</td> <td></td> <td></td> <td>:</td> <td>- - </td> <td>15</td> <td></td> <td>v</td> <td></td> <td></td> <td></td> <td></td> <td></td>	Common Eider	jle			:	- - 	15		v					
Ile Ile Ile Ile elrI elrI elrI Ile Ileir leir ile ile Scoter leir ile ile Neye er ile ile iser rsf rs iser is rs iser rsf rs iser is rs iser is rs iser is rs	King Elder	jie	1						* XR	×.		:		
leir leir leir leir Scoter leir Beye er neye* e nere n	Harlequin Duck	je					o.					19		
leir leir Scoter leir Scoter leir Neye er neye er ineye* e ineye* ineye* ineye* ineye* <	Oldsquaw	elrj			Ī				:	•	:	I		
lejr lejr Scoter lejr heye er neye er heye er iser is is is is is is is is is	Black Scoter	lejr									I	I		
Scoter lejr neye er neye* e k erl erl ser rstB nser r f Merganser elrj f	Surf Scoter	lejr			ļ							Ĩ		
neye* er Ineye* e k 석 <i>I</i> sh <i></i>	White-winged Scoter	lejr			T							Ī		
ineye* e kint filter fi	Common Goldeneye	er		I							•	i		
lerl erl rstB Nser rstB Merganser elrj f	Barrow's Goldeneye*	¢		\$	¥ · · · ·									*
iser rsfB //4 // // // // // // // // // // // //	Bufflehead	er						1				Ī		
nser Merganser	Hooded Merganser	rsfB			/14		15\							
Merganser	Common Merganser	-		I	I									
	Red-breasted Merganser	elrj		T	I								Ī	
	Ruddy Duck	Be												
	Masked Duck [*]	f									*			

Rednead I </th <th></th> <th>Ga Al Wa Fr CaMoHo Ba Ha Ce PGAA Ct Ch SMKe QA Cn Ta Do Wi So Wo Pe MD</th>		Ga Al Wa Fr CaMoHo Ba Ha Ce PGAA Ct Ch SMKe QA Cn Ta Do Wi So Wo Pe MD
	Redhead	
	Ring-necked Duck	
I I	Tufted Duck ²²	
	Greater Scaup	
	Lesser Scaup	
Image: Contract of the contract	Common Eider	
Image: Contract of the contract	King Eider	
Image: Section of the section of th	Harlequin Duck	
Image: Contract of the second of the seco	Oldsquaw	
	Black Scoter	
cooter - <td>Surf Scoter</td> <td></td>	Surf Scoter	
Ineyee	White-winged Scoter	
ueve* ueve* ue	Common Goldeneye	
	Barrow's Goldeneye [★]	
Set I	Bufflehead	
	Hooded Merganser	
	Common Merganser	
	Red-breasted Merganser	
	Ruddy Duck	
	Masked Duck [×]	

	Habitat Jan	Jan	Feb	Mar	Apr	May	May Jun	Jul	Aug	Sep		Oct Nov	Dec
Black Vulture	aWDv			114		11							
Turkey Vulture	aWDv												
Osprey	ERV			12/	11			Var					i
Swallow-tailed Klte*	~				21	日本 日本 日本 日本	な な			*	13 F		
MississIppl Klte*	N					Book states al	*	<u><u></u> <u></u></u>	☆☆☆	90 74			
Bald Eagle	ERV		1 25		29.								
Northern Harrier	sthAv				ļ	128	53/				ļ		
Sharp-shinned Hawk	wDvns			I		112	30			I	ļ		
Cooper's Hawk	wDvs			ļ		129							
Northern Goshawk	vwNs					•	E	2					
Red-shouldered Hawk	Bwv			14		31				_			_
Broad-winged Hawk	QA			100	201		161			ļ			<u>ලා =</u> =
Swainson's Hawk*	>				*								
Red-tailed Hawk	WDcav			0		3					I	ĺ	
Rough-legged Hawk	sfa		-			10				12			_
Golden Eagle	vtrs					2.			8	1			
American Kestrel	Av			/23			SA)						
Merlin	ovws					123			4				
Peregrine Falcon	oUvS		112				181						

	Ga	AI	AI Wa F	L C	Fr CaMoHoB	HO	B	a Ha	CeP	PG	GAA	む	Ch	X	Ke	Ct Ch SMKe QA Cn	- u	Ta	100	ViS	Do Wi So Wo	ОРе	MD
Biack Vulture	<u> </u>	0	<u>a</u>	2	<u>m</u>								ω.	Δ	Ω I	<u> </u>	8	<u> </u>	œ I	<u> </u>	<u>m</u> 1	20	
Turkey Vulture		<u> </u>	<u> </u>	8	8	<u> </u>	0	8	ш Ш	8		<u>م</u>	Ξ.	<u>م</u>	<u> </u>	<u>ه</u>	<u> </u>	<u> </u>		<u>ه</u>	m	œ	
Osprey	~			<u>م</u>									ω 🔳	<u> </u>	<u>م</u>	<u> </u>		<u> </u>	<u>ه</u>	<u> </u>	œ 📕	0	
Swallow-talied Kite*		42			47					41							*	*	-32			4	
Mississippi Kite [*]		4						4					47	T.									
Bald Eagle			I	I	<u>m</u> _				8	8	<u> </u>	<u> </u>	ш <u>–</u>	8	<u> </u>	0	<u> </u>	0	<u> </u>		<u> </u>	0	
Northern Harrier	<u>م</u>					m		6						0	~	~	0		20	0	0	<u> </u>	
Sharp-shinned Hawk	2	0													-				-				
Cooper's Hawk	۵ ا	<u>m</u>	m	<u> </u>	<u> </u>		0	0	ш Ш	<u> </u>	<u>ш</u>		201	0		<u> </u>		0	<u> </u>	<u> </u>	<u> </u>	<u>م</u>	
Northern Goshawk	۵	E		•					_									•		-			
Red-shouldered Hawk	<u>m</u> 1	Ξ	0	<u> </u>	<u> </u>	8	8		8	8		<u>م</u>	0	Ω	<u>م</u>	<u>n</u>	œ 🔳	<u> </u>		<u> </u>	0	۵ 🗖	
Broad-winged Hawk	<u>م</u> ا	<u>م</u>	۵	8	۵.	8		0			<u>م</u>		<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	_ ۵		۵ [
Swainson's Hawk [★]		-																					
Red-tailed Hawk	۵ ا	m	8	<u>س</u> ا	8	<u> </u>	0			<u> </u>	<u> </u>			<u> </u>	<u>۵</u>	<u>م</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
Rough-legged Hawk	Ľ		T			-				E				C				Ē	-				
Golden Eagle														•		•							
American Kestrel	۵.	<u>m</u>	<u> </u>	<u>ه</u> ا	۵1	<u>م</u>	<u>م</u>	0	ш Ш		8	<u>م</u>	<u>m</u>	2	<u> </u>	2	<u>60</u>	0	<u>م</u>	<u>م</u>	0	ت	
Merlin	L				•																		
Peregrine Falcon ⁽¹⁾	H	I	I	I.	•	IL		0	T .				L				L	L	∞∎	-	<u>م</u>		
1) All current br	breeding is from introduced	s	from	intro	du¢ec	1 stock	÷									_		_		_		_	

	Habitat Jan	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
Ring-necked Pheasant	GHAW				16 51	0							
Ruffed Grouse	DINW					(28	19/						
Greater Prairie Chicken	extirpated												
Wild Turkey	Dmw					/13 4							
Northern Bobwhite	HAW				//						14		
Yellow Rail [≭]	fsa		1	10次 以	大社社 女	44				2	2 KG #0	¥19	th.
Black Rail	Sfh				12	/20		22		27			
Corn Crake*	i					144		100				*	
Clapper Rail	S					/ 14		102					
King Rall	Ľ.					/1/	23						
Virginia Rail	ŝ					/ 14			16\				
Sora	Fs			25	I		25\3						
Purple Gallinule*	L				52 ☆2	:	林 松 ~~ ~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	************************	\$		* 15		
Common Moorhen	ш.			Q =	1	/10	6)						i
American Coot	reF			ļ			/2		~				
Limpkin*	br					*	*					-	
Sandhill Crane	сш	1	i						···*	☆	¥ 20		İ
Black-bellied Plover	tmq												
American Golden-Plover	mtcq			<u>۳</u> .		16		26	i			29	:
Wilson's Plover	0				9 .	/15	26			9			
Semipalmated Plover	toqr		:		9			Ĩ					

	Ga	A	Na Va	Ц С	0	MoHo	o Ba	Ha	Ce		GAA	t o	h S	Ch SMKe	e QA	ACn	Ta	Do	Vi	SoWo	No Pe	MD
Ring-necked Pheasant			0		<u> </u>	8				•	•	e.	-	~	~	~~	2	~			~	
Ruffed Grouse	8	<u> </u>	8	8	Ξ×	Ξ×	IX	I.					~									
Greater Prairie Chicken							_						-×			_						
Wild Turkey	Ω			۵	0	0				<u> </u>	0	۵ ا	<u> </u>	m	<u>_</u>				<u>م</u>	<u>م</u> ا	<u>م</u>	
Northern Bobwhite	<u>ه</u> •	<u>م</u> [m	m 1	۵	m	Ξ.	8	<u></u>	Ω]	<u> </u>	20	<u>a</u>	0	<u>m</u>		ш Ш				œ٩	
Yellow Rail 🖈		*				*		*		*	*	- 52					×				*	
Black Rail	47					\$3		0			20	I.		~ L	<u> </u>		~		~ []	<u>م</u>	Ω.	
Corn Crake*																					*	
Clapper Rail		\$3	\$3								<u>m</u>	<u> </u>		0							<u>a</u>	
King Rail				œ •		<u> </u>					0	<u>م</u> _	œ۲	œ٢	œ۲					20	Ω.	
Virginia Rail		۵L		<u>m</u> _		I	<u> </u>	0 I			<u> </u>	8	Ω.	œ	20						۵.	
Sora		۵L		<u>a</u> [Ľ	-					~					_				m	-	
Purple Gallinule 🖈			12	\$3		*				I *	*									\$2		
Common Moorhen	-		•	<u> </u>	•	<u>m</u>	•				<u>ш</u>			۵Ц			8	8		Ω.	m	
American Coot						T	-					-1	-		-						- 1	
Limpkin 🖈				*			*				-		-		_							
Sandhill Crane	*	×										-	_		•							
Black-bellied Plover		Ľ			•					L									4			
American Golden Plover			•		L		-		•			•	•	•							L	
Wilson's Plover														_							œ٦	
Semipalmated Plover						Т			_	L	-			-							- 1	

	Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Piping Plover	Otq					/ 12	30						
Killdeer	MWCQ		I	/8				20\					
American Oystercatcher	OE				6/		5						
Black-necked Stilt	Fqr				4 	11		1	İ	0° •			
American Avocet	qtrf	× · · · · · · · · · · · · · · · · · · ·		15	i	19	27	1	I			¥	1
Greater Yellowlegs	sfqtrm				T						4		
Lesser Yellowlegs	sfqtrm		i	;	I			ļ					İ
Solitary Sandpiper	rfm			<u>.</u>] ;			:	in the second se				°56	10
Willet	Sotq	:	•	<u>e</u> .		6/						i	
Spotted Sandpiper	Rq	E E		23	I			15\			ĺ		
Upland Sandpiper	Hca			25		01/	10\ 24			- 26		iii	
Eskimo Curlew *	0.									¢			
Whimbrel	so				<i>с</i> .						24		
Long-billed Curlew [*]	υ					t v			* 4	**			
Hudsonian Godwit	tq					16	12	17	1			ľ	ç.
Marbled Godwit	tq				58	23		14					
Ruddy Turnstone	ojtmq												
Red Knot	ojtq				4		27	12					
Sanderling	otją						i	Ţ					
Semipalmated Sandpiper	tosq				4.	I			ł			ļ	2
Western Sandpiper	tosq		•			1	:						

	Ga	A	Wa	Fr	CaMoHo	Not	10 E	BaH	HaO	6 6	CePGAA		Ct Ch SMKe	SI	Ke		QACh	Ta		Ň	Do Wi So Wo	Wo Pe	MD
Piping Plover					-		23	रद्र			-		-									œ	
Killdeer	8	01	cc) 🖿	0	_	മ	<u>م</u>	<u>م</u>	-	<u> </u>	m m	<u>m</u>	0	0	m	8	0 0	6	<u>م</u>	20		0	
American Oystercatcher								43													ωl	ω	
Black-necked Stilt					13	-	4	-												L	m		
American Avocet						-		E			-											•	
Greater Yellowlegs		-		-	-			-	-														
Lesser Yellowlegs		-																					
Solitary Sandpiper																							
Willet					-	-				-	E				20		0	m		<u> </u>	m	œ]	
Spotted Sandpiper	m)		<u>م</u>)	0				m	<u> </u>	-	-	0		<u>م</u>			00	001	Ξ.			I	
Upland Sandpiper	Ω.	I.	ΞĽ	ω.		τC		ΞŪ			-												
Eskimo Curlew 🖈		1	-	-		-		-	-			-				_							
Whimbrel					1	-	-	L	-	-	-	E									E		
Long-billed Curlew*		1	-		•	-	-	- +				-									1	4	
Hudsonian Godwit					*				-		-	-		_		2 -							
Marbled Godwit		1				-		L		-	-	_				L_,							-
Ruddy Turnstone		L		•	•		-		-		-												
Red Knot					-						-	-											
Sanderling				-	-		-		-	•			-				*				1		
Semipalmated Sandpiper			34		-	-	L																
Western Sandniner			-		-	-	-	-		-	-	_	L										

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Νον	Dec
Red-necked Stint [*]	-								4				
Little Stint*	đ					(*			
Least Sandpiper	rtqfsm	;	-	1	ļ								19
White-rumped Sandpiper	tqmo				24			22 22 22					v ç
Baird's Sandpiper	qrt							67 7			i	1	2 =
Pectoral Sandpiper	frqms	•					10 27						4
Purple Sandpiper	jo						°	:		8" V			
Dunlin	stoqmf						1	-			I		
Curlew Sandpiper*	qt					T* 4	4				*	ac	
Stilt Sandpiper	qrt				9	i	27= =	0					
Buff-breasted Sandpiper	bm		_						7		12		
Ruff	qtfm				4	i	-			1	" —		
Short-billed Dowitcher	tfqms			26								•	
Long-billed Dowitcher	tfqrm	6		10	:	21		22					
Common Snipe	fmsr					28		9	İ				
American Woodcock	BW			25		251					I		
Wilson's Phalarope	qtfr				4 19		5	0 1 1 1					t =
Red-necked Phalarope	plqr				22	1		2°*			İ	ч • " –	9
Red Phalarope	pirq	•				50			14			•	:
		-											

	Ga	A	AI Wa	Ľ	Ca	No	Ca Mo Ho Ba	3a F	Ha	D 0	GA	CePGAA Ct Ch SMKe QACn	C I	h S	Σ Σ	0	AC	H L	TaD	× 0	i S	Do Wi SoWoPe	Pe		MD
Red-necked Stint ²²									-		-	-	-	-		-	-	-	-	-	-				Γ
Little StInt*								+					-				-	-	-			X			
Least Sandpiper												-		-		-	-			-	-				
White-rumped Sandpiper		E	-				-		-		-	-		-	-	ť	-			-				1	
Balrd's Sandpiper									•		•			•	-		•	•		-					
Pectoral Sandpiper										-		-					-			-	+-				Τ
Purple Sandpiper				-					-	-				-	-	-	-		-		-				
Dunlin													-	-	-					-	-		l	1	
Curlew Sandpiper*				-	1	-		•			-	-	-	-	-		-		-	-	-			1	
Stilt Sandpiper	•	•		-	•	•		-	•		-	-	-	-	-	-	-			-	-		~		
Buff-breasted Sandpiper		-					-		-	-		-	-	-	-	-	-	-	-	-	.				Τ
Ruff			43	*	1	- F	-		-	-			+			•	-	-	•	•	-				
Short-billed Dowitcher		C	-	•	•		•			-		-	-	-						-		•			
Long-billed Dowitcher		•				•			1	-	+	-	-			-		-			-				1
Common Snipe	~								-		-	-				-	-		-		-				
American Woodcock	201	8	<u>m</u>	Ξ.	m,	8	<u> </u>	<u> </u>	m	8						ω			8					┢	Γ
Wiison's Phaiarope			-				•	-c	-	-	-	-	-	-	-	-	-	-							T
Red-necked Phalarope		•		•		•		-						-	-	-	-	-	-					1	
Red Phalarope				•		•	•	-						-		-	-	-	-	•				+	
																					-	-		1	
			_	_																-					
					1						-		-	-	-	-	-	-	-	-	_	_	-	1	٦

	Habltat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
					00								- 1
Pomarine Jaeger	ple		1		2				1				~
Parasitic Jaeger	ple				52		4-	88	ļ				~ °
Long-tailed Jaeger [*]	٩				4	石石			¢	*	4		
Great Skua	٩		1	9 									ا ار
South Polar Skua th	٩				28 76		4 A	20 *					
Catharacta sp.	٩												
Laughing Gull	emzoSl	°¦ ₽	24		Ţ	01/		18/			l		İ
Franklin's Gull	oer				æ"	1	I			1		* =	~v
Little Gull	lep			26		22					•	ļ	
Black-headed Gull	lep	i				LO.						5 	
Bonaparte's Gull	lerpm								1				
Mew (Common) Gull [*]	Ŀ	*	부										
Ring-billed Gull	emzolru												
California Guii [*]	mpzo	立 立 立 立						*	*	4	*	*	
Herring Gull	eoziSrmp				/12			261					
Yellow-legged Gull [*]	z	*	••• 立••••	*									
Thayer's Gull	zeplo	なれたにおいたのないななな	なりたいまた	公 公	¢	4		14				4	ななな
Iceland (Kumlien's) Gull	zeplo					۲ <u>۳</u>				•		, ,	
Lesser Black-backed Gull	zeloprm					2			18				Ι
Glaucous Gull	zelop			i		<u>د</u>		*	•			ļ	
Great Black-backed Gull	eoziSp				/12		17						


	Ga Al Wa Fr CaMoHo Ba Ha CePGAA Ct Ch SMKe QACn Ta Do Wi So Wo Pe MD
Pomarine Jaeger	
Parasitic Jaeger	*
Long-tailed Jaeger*	
Great Skua	
South Polar Skua [±]	
Skua sp.	
Laughing Gull	
Franklin's Gull	
Little Gull	
Black-headed Gull	
Bonaparte's Gull	
Mew (Common) Gull [*]	*
Ring-billed Gull	
California Gull [*]	
Herring Gull	
Yellow-legged Gull*	
Thayer's Gull ¹²⁷	
Iceland (Kumlien's) Gull	
Lesser Black-backed Gull	
Glaucous Gull	
Greater Black-backed Gull	

	Habitat	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
Black-legged Kittiwake	ple						s.			26			
Ross' Guli*	Φ			en.*	24 *								
Sabine's Guli [*]	boe				*	* *							
Gull-billed Tern	0e				0 M	/15		18/			₹ Sv		
Caspian Tern	eotr			5								126	
Royal Tern	eOti			21		/ 15							- 29
Sandwich Tern	Olte					4.	17	14		•	6 =		
Roseate Tern*	plo				30			~ *…	30	0-			
Common Tern	eOlp			20	ļ	6/		5					e •
Arctic Tern*	plor					6 म्लंबर्ग्नम म्ल्रम	د ب ر	х	* 120				
Forster's Tern	eSolr		:			/7		28\					
Least Tern	EO				12	/ 18			12/		28	00 -	
Bridled Tern	pl								: œ	- ²⁶			
Sooty Tern*	٥									6 Arit	*		
Black Tern	esripq				24						-10		
Black Skimmer	EO	~			0	/15		6				Ñ	6
Dovekie	Id		-	20								<u></u> Ω	
Common Murre ²²	īd	44	4 44	4									4
Thick-billed Murre*	pl	4	なななな	44							_	*	
Razorbill	þļ				4 •							83	_
Atlantic Puffin	d	2	:	:	6	25							6 1

	Ga AI V	Wa Fr		CaMoHoBa	HOE	sa Ha	aCe	5 C	CePGAA Ct ChSMKeQACn Ta	いた	hSh	AKe	QA	Cu		N O	i So	Do Wi So Wo Pe	e	MD
Black-legged Kittiwake		-				*	*	*	47	*		4			*					
Ross's Gull *						*										-				
Sabine's Gull *		-							+										*	
Gull-billed Tern					-	*									-			m 🖬		
Casplan Tern		-														-				
Royal Tern		-				-			-	-				E		<u>m</u>]		ά		
Sandwich Tern						*				-		43	- J.					<u>م</u>		
Roseate Tern*		-				4										1		T *	\$1	
Common Tern				L		0				1	1	I	<u> </u>	L	I	<u>m</u> III		<u>са</u>		
Arctic Tern*	42	-				-			-							_		£3	*	
Forster's Tern		-	E	. 1	Ľ	-				-					I	<u>م</u>		ш ш		
Least Tern	4	\$	1	43		0	ä		m	<u>ه</u>					0	со I				
Bridled Tern																				
Sooty Tern *	-	-				+			44	•					4		1			
Black Tern			E		L	1								•				-	-	
Black Skimmer		-				-								•	E	<u>00</u>		а,		
Dovekle					-	÷.				\$						\$	-	•		
Common Murre ^{k?}						4				2							4	4	4	
Thick-billed Murre*				*		2	*							-			-	5	-23	
Razorbill															13			L		
Atlantia Dirtitia		-			-				-		-					_		_		


	Habitat	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
Rock Dove	UGm	/2											16
White-winged Dove*	gm			*****			4					*	
Mourning Dove	WcG		712								27		
Passenger Pigeon	extinct												
Common Ground-Dove*	M					ф			4		*	4	
Carolina Parakeet	extinct												•
Black-billed Cuckoo	DW				β	/18		19				₽.	
Yellow-billed Cuckoo	BDW				n-	113			28/			52	
Groove-billed Ani [*]	M											\$2	
Barn Owl	aGSWk			/18							11		I
Eastern Screech-Owl	WDBK			/8		9							
Great Horned Owl	KD		27		21/								
Snowy Owl	oasu		:	21							29		
Burrowing Owi*	ε					*							
Barred Owl	BD			01/		261							
Long-eared Owl	Kn				3	2	•	è	6	ċ		!	
Short-eared Owl	SA			4 6/	i	4	۵ >۰۰۰	•		ć	ĺ		Ι
Northern Saw-whet Owl	kwNX				6						I		I
Common Nighthawk	UA				9.		/26	18					
Chuck-will's-widow	Kw	l			12	6		1		I	φ,		
Whip-poor-will	WD			22				13		ĺ	28		

	Ga	AI	Wa	Ľ	CaMoHo	101	lo B	3a H	g	Ce P(GAA	A Ct	Ċ	SP	Ke	QA	Ch SMKe QA Cn	Та	Do	Vi	SoWo		Pe	2	MD
Rock Dove	B	۵.	20	8	<u> </u>	Ω.	2	201	œ١	۵1	8	8	8	8	8		Ω	ΩÌ	Ω	8	m	<u>m</u>			
White-winged Dove 🖈						_				+				7							4				
Mourning Dove	2	m	<u>m</u>	<u>m</u>	<u>m</u>	<u>m</u>	m I	<u>m</u>	<u>00</u>	0	<u> </u>		0	0	8		20	0	Ω.	<u> </u>	<u> </u>	<u> </u>	-		
Passenger Pigeon	×	×	×	×			×	×		×	×														
Common Ground-Dove [*]		_							_			-	_	4	-							-23			
Carolina Parakeet																								_	
Black-billed Cuckoo	<u> </u>	8	<u>0</u> 1	<u>è</u>	Ω)	<u>m</u>	<u> </u>	<u>m</u>		<u> </u>	m	~[~ [~	~	~	~□	~ [~ L	~ []	~L	œ۲			
Yellow-billed Cuckoo	2	8	201	<u> </u>	8	20	۵	<u>m</u>	<u>m</u>	0	<u>m</u>						Ì			00	m 1	<u> </u>	-		
Groove-billed Anl st														_										-	
Barn Owl	۵L	۵C	۳Ľ	۵C	۵L	20	۵L	<u>m</u>]	۵C	œ۲	۵l				8					8	8	<u>m</u>		-	
Eastern Screech-Owl	<u>m</u>	8	<u> </u>	Ξ	<u> </u>	<u>m</u> 1	8	<u>m</u> 1	<u>m</u> 1	<u>m</u> 1	8		8	8				Ω	<u>۵</u>	<u>m</u>	20	<u> </u>		-	
Great Horned Owl	2	m	m	<u> </u>	<u>m</u>	ш	ΩÌ	ω.	8	6	<u>m</u>									<u> </u>	m	<u>m</u>			
Snowy Owl		•	•	•		•		•	•		•							•				-			
Burrowing Owl*	*			-																				_	
Barred Owl	Ξ	-	8	Ω]	<u>m</u>]	8	<u> </u>	۵L	8	<u> </u>	Ω	<u>m</u>	m	φ	<u> </u>			ш	20 M	8	8	m I		-	
Long-eared Owl		•	•	•	•	I.	-	r.		-	I.	I.					•	-			•				
Short-eared Owl	•	•			•	T	•		-						,				I	Ľ	~				
Northern Saw-whet Owl	<u> </u>			•						-									-		-		•		
Common Nighthawk	Ω.	m m	<u> </u>	<u> </u>		<u>m</u>	<u> </u>	<u> </u>	<u> </u>	<u>m</u>	<u>m</u>		0		0		<u> </u>	<u> </u>	<u> </u>	m 🔳					
Chuck-will's-widow			•			•	•	<u> </u>	-	<u> </u>	m 🔳	0							<u>م</u>	<u>m</u>	<u> </u>	<u> </u>			
Whip-poor-will	2	<u>m</u> 1	m I	<u>m</u> 1	<u>m</u>		<u>m</u> []	<u> </u>	<u>m</u>	<u>m</u>]	<u>م</u>								<u>م</u>	8		<u>m</u> 1			



13.3

MARYLAND



	Habitat Jan	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
Chimney Swift	UGr			14		6/			12 \		li	- 53	
Ruby-throated Hummingbird	BGW	¥		21	1	/14			20			* * *	÷
Rufous Hummingbird [*]	мg				*	-*				12 24	ਸ	···☆··★☆☆	
Rufous/Allen's Hummingbird [*]	мg								17		☆・・・☆	4···	29 公司
Belted Kingflsher	RE				11/								
Red-headed Woodpecker	DBv					/3	19/						
Red-bellied Woodpecker	BDw					/2 16 \							
Yellow-bellied Sapsucker	XNdb				12	24.5	5	2	2	4	ļ		
Downy Woodpecker	BDW				/5	301							
Hairy Woodpecker	BD				/16 /	58							
Red-cockaded Woodpecker*	×			*	*	*	4 4 .			*****	****	*	*
N. (Yellow-shafted) Flicker	WGBDa				/18		26\						
Pileated Woodpecker	BDK				/18		16						
Olive-sided Flycatcher	WXN				24		10	v			=:		
Western Wood-Pewee ²⁴	W									क्षेत्रसंस 26			
Eastern Wood-Pewee	DBwK				ĿI	121			23\		21		
Yellow-bellied Flycatcher	hdwn					25	٥I	24			26		
Acadian Flycatcher	BD				<u>6</u> .	/23		(e)			28		
Alder Flycatcher	Xw				29		12 21			21 2	~		
Willow Flycatcher	M						4 27				~		

	Ga A	N Wa	/a Fr		CaMoH	Ho	Ba	На	Ce	PG/	GAA	さ	<u>्</u> र	Ct Ch SMKe OA Cn Ta	C	C	- H		3	ů.	Do Wi So Wo	D D	Σ
Chimney Swift	0	-	8	<u>م</u>	0				01	0	<u> </u>	<u> </u>					<u> </u>	_					-
Ruby-throated Hummingbird	m	0	601	6	8			60			0	6	6	0	0	0	0	60		6			
Rufous Hummingbird [*]		-							Ŷ	•		÷	-		_	-						1	-
Rufous/Allen's Hummingbird*	-			-		1 V			1		-	3	-	ł	-						4 1		
Belted Kingfisher	<u>م</u>								-	201	<u>م</u>	-	-		<u>م</u>	0	0						\vdash
Red-headed Woodpecker	ωL		<u> </u>							8	20	۵L	60	<u> </u>									-
Red-bellied Woodpecker	n	0	<u> </u>		8	8	Ω.			60	-	<u>م</u>	6	0	- 00 1		-00	-01	0				
Yellow-bellied Sapsucker	I		-																				-
Downy Woodpecker	8	aa 🔳	-								20		-	0	0	- 00							
Hairy Woodpecker	<u>m</u>	0	201		۵ ۵					8	-	<u> </u>	<u> </u>	-		0	0				<u>0</u>		-
Red-cockaded Woodpecker*	_	-									-	-	-	\$		_							-
N. (Yellow-shafted) Flicker	<u> </u>	20								<u> </u>		-		0	<u> </u>	0							
Pileated Woodpecker	<u> </u>				۵ ۵	<u> </u>	<u> </u>	<u> </u>	601		-	-	6	6	-		6	6	8				
Olive-sided Flycatcher	-	L									-		-	-	-	-							
Western Wood-Pewee ^{xh}												1	1		_				_		1 V		
Eastern Wood-Pewee	۵1	-		-		<u> </u>	8	Ω.	8	8	۵	<u> </u>	0	201	0	6		<u> </u>		-			_
Yellow-bellied Flycatcher	-L		C												-								
Acadian Flycatcher	<u> </u>	<u>م</u>	0	60				<u>م</u>		<u>م</u> ا	0	<u> </u>	<u> </u>	<u>_</u>	<u> </u>	<u> </u>			0		<u>_</u>		
Alder Flycatcher	<u>م</u>		•		~ •		с. <u>Г</u>						-	-	-	-							
Willow Flycatcher	<u>60</u>		0	0		B		8	8	8	-	8	-	~	-	_		_			0		

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Least Flycatcher	DW				19	61/	16				i	1	
Hammond's Flycatcher*	M										*		
Eastern Phoebe	RGw				25			21					
Vermillon Flycatcher*	×									*			
Ash-throated Flycatcher*	M	0 ₹										22**	22 × 1742 1
Great Crested Flycatcher	BDkW				0	/18		151				8	
Western Kingbird	wa					20	:		21				ŝ
Eastern Kingbird	WGa			21	I	121		22			21		
Gray Kingbird [*]	M					*	*	42					
Scissor-tailed Flycatcher*	aw				4 4	*	**	4	\$		******		
Fork-tailed Flycatcher *	>									*			
Horned Lark	MO			3				6					
Purple Martin	Gre		ത ⊧	!		/ 14		16			23		
Tree Swallow	rSAe		13			11	(M)				0		
N. Rough-winged Swallow	REc	Ŷ		16		/ 13	17					1	
Bank Swallow	Rec			29	I	/#2	23/					4	
Cliff Swallow	RGe			27		122		9		1	109 109		
Barn Swallow	GEra	v 	24		1	1		4					*
Blue Jay	DKGv				/8			30					
American Crow	waDKzni			/13		20\							
Fish Crow	wesKDzm				120		18						

																		-	-		-					
	Ga	A	I Wa	Ц	0	a Mo Ho B	Ч	Ø	На	Ce	CePGAA		t	ц Ч	NS	Ke	AC	Ct Ch SM Ke QA Ch Ta		Do	Ň	SoWo		Pe	Σ	MD
Least Flycatcher		8	<u> </u>	<u>ш</u>		~	IL	ΞŪ			ΞĽ	L	Ľ				C		L					-	_	
Hammond's Flycatcher★																	-	-	-	-	-		-			
Eastern Phoebe		0			6	<u> </u>	<u>م</u>	Δ	601	60	601	60	6	0	601	ω.	-	-	8	601	-		0	-	-	
Vermilion Flycatcher*																			-					+	-	T
Ash-throated Flycatcher [*]				22	~			*			*				4				1	+			K		-	
Great Crested Flycatcher		8		<u>а</u>	<u>с</u>	8	<u>م</u>	<u> </u>	60		201	-	-	-	<u> </u>	<u>م</u> ا	<u> </u>	۵1	-	<u>m</u>	<u> </u>	-	8	-	\vdash	Г
Western Kingbird											-	-					•	•				•		-		1
Eastern Kingbird		۵ ۲	<u> </u>		۵ ۵	<u> </u>	<u>م</u>	8	8	201	8	-	0	-	01	601	<u>م</u>	<u> </u>	001	0	0	- 001	0	-		1
Gray Kingbird [★]												-			R				-				- 1	-	-	
Scissor-tailed Flycatcher*			*	*		17					÷	< ?			3			-	+	7			1	-		T
Fork-tailed Flycatcher*												+							1				z	\vdash	-	T
Horned Lark										<u>۵</u> ۱	601	(D)	0	-	0	0	00	2	0	0	0	-	0			Τ
Purple Martin										8	8	601	6	0	۵)	8	201	8	6	60	8	8	2	-		
Tree Swallow		۵ ۵								8	0	0	601	0	0	60	8	8	0	60	8	8	8	- 1		
N.Rough-winged Swallow		8	20	8		<u>μ</u>	8	8	20		0	8	60	0	<u>m</u>]	-	8	60	201	0	8	60	<u></u>	-		T
Bank Swallow										6	8	Ω)	6	Ω)	m	8	ω 1		601	<u> </u>			۵1	-	-	
Cliff Swallow										8	-	ά										L.	- L	-		T
Barn Swallow										6	8	0	0	0	0	Δ.	-	- 00	0	01	- 00 1	01	<u></u> <u> </u>	+-	-	
Blue Jay						6				6	8	0	m	-	60		-	8	0	<u> </u>	0		0	-	-	
American Crow									1	Ω	-	8			8	m	0	8	8	-001	0	8	6			
Fish Crow										6	-001	6	8	2	8	00	8				6	8	6		-	T
									1															-		1

													(
	Habitat	Jan	Feb	Mar	Apr	May Jul	Jul	Jul	Aug	Sep	Oct	Nov	Dec
	ž		123	23									
Common Haven	2												
Black-capped Chickadee	DNWK	İ			12		16						
Carolina Chickadee	DKWGB				715		61						
Boreai Chickadee [*]	MU	*	*		¥ ³³	~						20 20	** * *
Tufted Titmouse	BDWGK				14		301						
Red-breasted Nuthatch	kN					26			9				
White-breasted Nuthatch	DBw					102							
Brown-headed Nuthatch	×				/15	1							
Brown Creeper	BDk							~					
Rock Wren*	M										*		
Carolina Wren	WGB			121						12/		00	
Bewlck's Wren [*]	GW				e e	/30	26					22 27	# * *
House Wren	GW	İ		12		/3			9\				
Winter Wren	Nbd					20				4			
Sedge Wren	SFa					i		25 12					
Marsh Wren	FS					7.3			11/	3			
Golden-crowned Kinglet	kdbwN			I		13/ 2			!	24			
Ruby-crowned Kinglet	wbkd					5	=1			1			
Blue-gray Gnatcatcher	BDw		٨	50	11		8\				3		
Northern Wheatear*	σ									*			
Eastern Bluebird	CAW			/12						51			

	Ga A	AI Wa	a Fr	0	aMoHo	Но	Ba	На	Ce	PGAA	A Ct		SI	Ch SMKe	QA	Cu	Д	Do	N.	SoWo	/o Pe	0	MD
Common Raven	<u>m</u> 1	8	0		47	**	4	-		42			43		17					-			
Black-capped Chickadee	m	m	-							-	•	•						•		•	•		
Carolina Chickadee		~	8	-	8	8	<u> </u>	8	Ω	<u> </u>	m		m I	0			<u> </u>	m 🔳	m	m m	20	_	
Boreal Chickadee*		*					*				*								6			-	
Tufted Titmouse	m 1	<u> </u>	6	m I	8	8		m I	Ω)	m I	<u>m</u>]	m I	m 1	<u> </u>		8	m	<u> </u>	D	2	2	+	_
Red-breasted Nuthatch	m	-	-	2						-	-	-	-						-				_
White-breasted Nuthatch	8	m		m	8	8	8	20	m		2	-	<u> </u>		<u> </u>				m	<u> </u>	m 🔳		_
Brown-headed Nuthatch		-	-	-			1					m {}	1		ц п та					m 🔳	m 🔳		
Brown Creeper	0	-	m	m	-			8	m	m m	00	0	0						<u> </u>	<u> </u>	<u>m</u>]	_	_
Rock Wren*										-	-		-							- 0	-* 0	+	\downarrow
Carolina Wren	Ω.	m 1	m	8				201	<u> </u>	<u>m</u>	<u>m</u>	m	<u>م</u>	<u>m</u>	0		۵ ا	20	20		ח	-	_
Bewick's Wren [*]	r+	I *	œ.∔	T*		T *				*						*			• •	-	-		
House Wren	<u> </u>	m	m		6	0		<u> </u>	۵ ا	m 🔳	œ 🖬	<u> </u>	<u> </u>	<u> </u>			n in in	<u>ה</u>		n 🔳	2	-	_
Winter Wren	<u>م</u>								-	-													_
Sedge Wren	8 •	-		-				•			·			T					- 0		<u>0</u> 10	-	-
Marsh Wren	•		•	шL	m •	<u> </u>			Ω	m III.	<u>م</u>	m H	20 M	20								-	_
Golden-crowned Kinglet	m I			-	<u> </u>					-						1						+	
Ruby-crowned Kinglet		-					_					-		-						-			
Blue-gray Gnatcatcher	m	ш	<u>m</u> =	<u>m</u>	<u> </u>	<u> </u>	ш I Ш Ш		20	m	<u> </u>	<u> </u>	0	0	m							-	
Northern Wheatear *			-	_							_			*								+	
Cotton Dirchied	B	8	8	8	8	8	8	B	B	B	m	m		2	2					ומ	ומ		_

	Habitat Jan	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Mountain Bluebird [★] Townsend's Solitaire [☆]	5 3			:									*
Veery	Db					/12	13		9		1	2*	
Gray-cheeked Thrush	dbw						۰° ۲			0	26		
Bicknell's Thrush	wdb					رم. م	ω,			15	16		
Swainson's Thrush	dbNw				15	-	9 /13 2	•	17	ļ			
Hermit Thrush	b kNXD					25/28	58	12	26				
Wood Thrush	DB	¥ 			=I	17		29				21	, ,
American Robin	GWbc				/26				22 \				
Varied Thrush [*]	gw	£ ¥	****	** - 4-	ł							27 ₄ .	*****
Gray Catbird	WGB				T	/3			161	A			
Northern Mockingbird	GW				/30				21 \				
Sage Thrasher	M										*		
Brown Thrasher	MG				ļ	/18		30					
American Pipit	msct					28				6			
Bohemian Waxwing [*]			*										
Cedar Waxwing	WBGD						/3			6			
Northern Shrike [*]	wc		(₽¥ *							20 7	* * *	×
Loggerhead Shrike	Wc					14		~					
European Starling	UGmc			~	/25		17/						

	Ga	AIV	Wa	F	CaM	MoH	Ho Ba	I	a Cel	PC	PGAA	Ct	ರ	Ch SMKe	Ke	QACn		Та	Do Wi	-iN	NO N	So Wo Pe	ž
Mountain Bluebird*		-+		-	-	-															-	-	
Townsend's Solitaire $^{\dot{m}}$									13														
Veery	Ω.	<u> </u>	<u> </u>	<u> </u>	0	۵	<u> </u>			0	0				<u>م</u>								
Gray-cheeked Thrush			L												Ľ			L	L	E	С		
Bicknell's Thrush	~	0	с.	E	0.	-L	~	Ē	~	0			C	c	Ľ	~	~	0	0	~	~		
Swainson's Thrush	I	-	- 10		_	-											-		-		-		
Hermit Thrush	£0					_	_														-		
Wood Thrush	<u>a</u>	6	۵	-00	6	<u>م</u>	<u>m</u>	60			60					60		-		-00	<u>60</u> 1	60	
American Robin	<u> </u>	-	<u> </u>		<u>_</u>	60	60			-					<u>م</u>			<u>m</u>]		20	<u> </u>	-00	
Varied Thrush*		-	-	-		*	*		1													-	
Gray Catbird		<u> </u>	<u>00</u>	-00		201	201	-		8							8	60		20	<u>m</u>	20	
Northern Mockingbird	m	-	<u> </u>	60	8	<u> </u>	2						8	8		60	-00			-	20	201	
Sage Thrasher [*]				-																-	-	+	
Brown Thrasher	<u></u>	<u> </u>		20	-001	۵.	<u>م</u>	<u> </u>	-	0	-		8		8	œ I	<u> </u>	-			-	<u> </u>	
American Pipit																							
Bohemian Waxwing [*]		-				-			_												-	*	
Cedar Waxwing	<u> </u>	<u> </u>	<u> </u>		-		-		<u></u>	60	-		0	8			œ 🖬	-	<u>m</u>		<u> </u>	ά	
Northern Shrike [*]	*		*	*	12	*	+	*				1	41	42	4	1		42	42	-	-	*	
Loggerhead Shrike	•	-C	ωL	0		<u> </u>					I.						•	-	•	•	•		
European Starling	۵ ا	<u>م</u> ا	<u> </u>	-		-001	-	201	8	8		8	8	8	8	-	8	8	8	8	-	8	

	Habitat	Jan	Feb	Mar	Apr	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
White-eyed Vireo	WB					25		261	ž		i	7	¥
Solitary Vireo	DW	:		26	I.		1/1 29/		ß		24		
Yellow-throated Vireo	BD					6/		21/			÷		
Warbling Vireo	BW				وا	/24			00		.1	σ	
Philadelphla Vireo	wb	_			07		0)= [*]	
Red-eyed Vireo	DBw		-		=1 \$	6/		30			90	t. 1	
Blue-winged Warbler	Wb				2		AL 17 18	23		10	-		
Golden-winged Warbler	W				2. 6	24	12/0	40	4	3 		30	
Tennessee Warbler	wdb				2	ę	*	**7	ļ	ę) •	
Orange-crowned Warbler	W		1	1	1	<u>»</u> .			¢,	1		¢	
Nashville Warbler	WbX				æ	87	CI 05/87		2			¦ ∓	
Northern Parula	Bwd			2.		/15	14	12			Č		:
Yellow Warbler	w	:			, I	/13	14/		Ę				
Chestnut-sided Warbler	WDb				₀ ‡		128 26	23	<u> </u>				
Magnolia Warbler	XNdbw				 		131 14 20	2	T		İ	2	
Cape May Warbler	pm				2 ² 4		ک ۲		<u>i</u>			<u>ب</u>	
Black-throated Blue Warbler	Dbn			- V -	<u>.</u>				16			2. 	
Yellow-rumped(Myrtle) Warbler	wkbD						2	Υ 	-		ľ		
Black-throated Gray Warbler*	pm					0)	ç		ç	*		5	
Black-throated Green Warbler	Nbw				ļ		7				İ.	╡╒	•
Blackburnlan Warbler	MNdb			ţ	2"	/16					 "		
Yellow-throated Warbler	KВ			i		2					,	:	

	Ga	A	l Wa	ц	Cal	aMol	P	Ba	Ha	U C	PGAA		Ct ChS	h S	X X	(1)	QAC	nTa	aD	0	Wi S	So Wo	L 0	0	Σ	MD
White-eyed Vireo	<u>m</u>		<u>00</u> 1		6	<u> </u>	60	<u>m</u> 1	ωI	<u> </u>	<u> </u>	<u> </u>	<u>m</u>	m 1		<u>.</u>	<u> </u>	<u>00</u>	<u>m</u>)	۵	œ III	m	<u> </u>			
Solitary Vireo	Ω.	<u> </u>	~	~			~			-	- 11	-		-	-	-	-		-		-		-			1
Yellow-throated Vireo	<u> </u>	<u> </u>	œ 🗖	<u> </u>	œ.	en I	<u>م</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u>m</u>	<u> </u>	<u> </u>		<u> </u>	m	m =	m	<u>m</u>	<u>m</u>	m	<u>m</u> II	-		T
Warbling Vireo	T	<u> </u>	20	<u> </u>	<u> </u>	<u>م</u>	<u>م</u>	<u>۵</u>		<u> </u>	<u>.</u>	<u> </u>		œЦ		<u> </u>	<u>.</u>	ΞЦ	ΞЦ	ΞŪ	ΞŪ	ΞЦ	포너		_	1
Philadelphia Vireo	E	Ē	Ľ	E		-	-		Т	-	-0	-0			L					•	-			-	-	
Red-eyed Vireo	<u> </u>	-	8		<u> </u>	<u> </u>	-	<u> </u>	<u>00</u>]	60	<u>.</u>		<u> </u>		۵ı		۵۵ 🔳		<u> </u>	<u> </u>	<u> </u>	<u>ه</u>	0			
Blue-winged Warbler	<u>20</u>	<u> </u>	<u></u>			m	6	<u>م</u>	60		20		-			-	-		-		~		-			
Golden-winged Warbler	0	0			•		L	L	C	- 4						-4	L		-4		-		-	-	-+	1
Tennessee Warbler			- 10					-		-	-	-	-					-					-	8		
Orange-crowned Warbler	-E	-1				Ţ	-	Ľ	•	-	-	С					-	-	-1	-	-		-4	-	-	T
Nashville Warbler	<u> </u>	-	L	Ē						Ч		L	- 4			-4	-	-4	4	L			-		-+	
Northern Parula		<u> </u>	<u>.</u>		<u> </u>	<u>a</u> 1	20		20 II	ω.	<u>m</u>	<u>م</u>	<u>m</u>	20		2		20 I		<u> </u>		m		-+	-+	
Yellow Warbler		20				<u>م</u>	•	∞ ■	m	<u> </u>	-	<u> </u>	<u>م</u>		-	<u>.</u>						20	<u> </u>			
Chestnut-sided Warbler	∞ ■	∞ ■						I					-	-			-		-		-		-		-	
Magnolia Warbler	<u> </u>	-					-		-			- 10	-		-	-		-	-			- 14	-	·	+	Т
Cape May Warbler													-	-	-	-	-	-					-	•		
Black-throated Blue Warbler	<u> </u>													-	-	-	-		-			-	-	-		
Yellow-rumped(Myrtle)Warbler							-		Ξ				-	-	-				-	-	-	-	-	Ч	_	
Black-throated Gray Warbler											_								*		_	-	-		-	
Black-throated Green Warbler	8			<u> </u>							-				-					-	-	-	<u> </u>	-		
Blackburnian Warbler	<u>20</u>	I	I	<u> </u>							-				-	-		-				-			-	
Yellow-throated Warbler	•	<u> </u>			<u> </u>	<u> </u>	<u>m</u> 1	<u> </u>	<u> </u>	20	<u>20</u> 1	<u>م</u> ا	201	2 I	<u>20</u> 1	<u>_</u>	ΩÌ	<u>0</u> 1	<u> </u>	<u>m</u> 1	<u>m</u> 1	<u> </u>	201		-	

	Habitat	Jan	Feb	Mar	Apr	May Jun	unp	Jul	Aug	Sep	Oct	Nov	Dec
Pine Warbler	Kwa				61/	102							
Prairie Warbler	M			4		/17		<i>#\</i>				26	
Palm Warbler	wac			10	ļ	27			21	Ţ			
Bay-breasted Warbler	dwk				28		o.		1			28	
Blackpoll Warbler	dwbk				53			: تې	20			12	
Cerulean Warbler	BD				-71		ai/6						
Black-and-white Warbler	DKB	:	٨	v 8	I	/15	18/	24			20		
American Redstart	BDw					25	1			Å		:	21
Prothonotary Warbler	62			6	I	11	231				21		
Worm-eating Warbler	X				≓I I=	Ì	29 \7				۲. ۲		
Swainson's Warbler	BD				о ^т	21	14		0*				
Ovenbird	DKB		*		T a	17		16\			İ	ہ =1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Northern Waterthrush	Xwd				4 1		2910 7	21		1	30	0.	
Louisiana Waterthrush	8		× 20		/ 18		11/						•
Kentucky Warbler	BD				16	/16		31		i	47.0		
Connecticut Warbler	wbd					1			21			-	
Mourning Warbler	Wbdx					2 //	11 2/				:	۷.	
Common Yellowthroat	FW			25	I	/4		4					
Hooded Warbler	DB				T .	121		301			30	0	
Wilson's Warbler	dw				26		10		6. 		26		
Canada Warbler	NXQq				1 ⁹		28 18/19				29	0.	
Yellow-breasted Chat	M			Y	<u>و</u>	/22		181					

	Ga	ALV	I Wa F	Fr C	g	MoH	HoB	aH	a O	е	GAA		Ū	S	Ct Ch SMKe	QA	Cu	Ta	Do	Ň	So	No.	Pe	MD
Pine Warbier	0	8	60	8	m	60	0	601	0	8	<u>m</u> 1													┢─
Prairie Warbler	201	<u>م</u>	-		-	6	-	8	60		8	60	8		6	60	8	8	8	60	60	80	-	
Palm Warbler																								+-
Bay-breasted Warbler							-		-]_							•	+
Blackpoll Warbler					-		-																	+
Cerulean Warbler	0	8		-	ß	8		8	8	-													•	
Black-and-white Warbler	001	8	8	6	8		8	6	- 00	6							8		- 001					+
American Redstart	0	8	8	8	m	ß	8	60		60		60			60					20	80			
Prothonotary Warbler		-	<u> </u>	8		8	<u>م</u> ر	ωL		60													1	
Worm-eating Warbler	ωL	-	-	8	601	8		m	8	60							ш Ш	ω	8				\uparrow	+-
Swainson's Warbler	04	~	-	3	\vdash	-	-	-	-														╞	┢
Ovenbird	200	0	20	001	0	c 00 1		200	m	0	0	3 00 1	2 00	001	0	8	8	0						
Northern Waterthrush	0			-		-																	-	
Louisiana Waterthrush		8	۵		6	8	8		8													8	-	
Kentucky Warbler	00	60	-	8	6		-	8	60	-				60	0				8	00	8	60		
Connecticut Warbler	C								-				•										+	+
Mourning Warbler	001		T			L	-																	-
Common Yellowthroat	8	ω		60	0	<u> </u>	<u> </u>		- 001							8	<u>m</u>				00			
Hooded Warbler	<u>20</u>		60	8	8	-	60		8	<u>,</u>			-							8	8		-	+
Wilson's Warbler	C		L																					
Canada Warbler	8	I				-																	1	+
Vallow-brasstad Chat	20	00	00	00	œ	0	0	0	0	0	0	0	6	0		0	0	0	0	6	0	6	t	+

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Summer Tanager	KD				9	24	4	13/			28		
Scariet Tanager	BD				4	/12	Ĭ	<		Î	İ	4.	÷. A
Western Tanager [★]	бм				なが・一女	ф 4					*		ななな
Northern Cardinal	WGa				8/				12				
Rose-breasted Grosbeak	Dwb				1 80-	1/	11/13		16		İ		
Black-headed Grosbeak ²²	0	·····································	*		4 - 4						<u>부</u> ☆	부	· · · · - ☆
Blue Grosbeak	Wa				i	/5			<u></u> су		I	23	
Lazuli Bunting [*]	0	*			*								
Indigo Bunting	Wa			26	I	124	4		16\		Ì	16	
Painted Bunting [*]	мg	******	******	公半 ·· 米 · · · ★ · · ·	· * · · * ·	4	1		×			<i>r</i>	* * * *
Dickcissel	Нg		I				4 15					I	
Eastern Towhee	WDK			14	. /22				16\				
Bachman's Sparrow [★]	КW	*		10	29	29	* 47. 44	1 Ph-	\$2	54			*
American Tree Sparrow	awfg				-18						18		
Chipping Sparrow	GW			Ī	/14				Ñ		ļ		
Clay-colored Sparrow	wa				v 16	×1;>***						61	1
Field Sparrow	WA			Ĭ	121				251				
Vesper Sparrow	НМ				I	/5		-					
Lark Sparrow	wA	•			v	^	v	17			24		:
Lark Bunting ²²	ghw					4		4	4	4 4	ц.	☆	4
Savannah Sparrow	CHaOm			Ĩ		6	2	6	00				
Savannah Sparrow	CHaOm			Ĩ					α	T			

	0 U	Ā	AI Wa	Ľ		Ca Mo Ho	· P	Ba	На	CeP	Ű	GAA	Ct Ch SMKe	5	Z	e Y	V	C	La La	Do	Š	SoWo	No	De D	N
Summer Tanager						mL		ΤĽ		m	8	m	<u>m</u>	8	8	<u></u>	8	<u> </u>	-	m	8	8	-		
Scarlet Tanager	<u> </u>	60		<u> </u>		m	m	<u> </u>	∞ ∎	8	8	8	-	8	6	8	<u> </u>	m	Ξ.	8	6	-	8	1	
Western Tanager [★]												£													
Northern Cardinal					<u> </u>	<u> </u>	•		•	2		<u> </u>	601	-	201	•	80	•	0	m	0	0	< m 1		
Rose-breasted Grosbeak		I		I				<u> </u>					T												
Black-headed Grosbeak $^{\dot{\mathcal{M}}}$						4		43	4		4														-
Blue Grosbeak			<u>م</u>	8	8		8				<u>م</u>	<u> </u>	œ 🛙	<u> </u>	<u> </u>	<u>_</u>	<u>۵</u>	•	m 1		m	8	8		
Lazuli Bunting*								43																	
Indigo Bunting	<u> </u>	<u> </u>	0	<u> </u>	8	<u> </u>		•••	<u>_</u>	m	m 1		m 1	<u>m</u>	m I	<u> </u>	<u> </u>	<u>m</u>	<u>m</u> 1	8	<u>m</u>		<u>م</u>		
Painted Bunting*						4				*	*	*			*	42							+	1	-
Dickclssel	•						I.				m [L	-		~ [<u>m</u> [8	ω.	8	~			L		-
Eastern Towhee	8		<u> </u>	•	8		-	8		<u> </u>	<u> </u>	m	<u>م</u> ا	m	0		m	20	-	-	0	8	<u> </u>		-
Bachman's Sparrow★	*	IX				T *	*				T 4		-	1						*					-
American Tree Sparrow											E				L	Ľ	L				E				
Chipping Sparrow		Ω	8	8	8			<u> </u>	<u> </u>	<u> </u>	<u> </u>	m	<u> </u>	<u> </u>	m I	∎	m	m	m]	m	- CO	••	80		-
Clay-colored Sparrow											•	-			•	-					•		Ľ		
Field Sparrow	<u> </u>		<u> </u>	<u> </u>	m		<u> </u>	<u> </u>	<u> </u>	<u> </u>		•	•	<u> </u>	<u> </u>	<u> </u>	m	•	6	m 1	<u> </u>	m I			
Vesper Sparrow	<u> </u>	<u> </u>				m	8	8	<u> </u>				L	L		m	l a L		<u>m</u> [mL	m L		L	-	-
Lark Sparrow	τĄ	4									•	•	•			•		-	-	•		•			
Lark Bunting st											4	£				÷.		\$		÷			3		
Savannah Sparrow		œ 📕		<u>م</u>	m [II	ΤI				I					-						II	1	
		1	1			1	1	1		1		1	1	۱	1	1	۱		١						-

	Habitat	Jan	Feb	Mar	Apr,	May Jun	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Baird's Sparrow ^{tz}	w										4		
Grasshopper Sparrow	HAC			17		15			61		120	i	
Hensiow's Sparrow	A	•		ģ		/ 12	26					53	•
Le Conte's Sparrow [*]	as	•	쟈		仅						*	4	\$
Saltmarsh Sharp-talled Spar.	S				0	114			21			m	
Neison's Sharp-tailed Spar.	sfa	ć	6	ż		7 15				21		6 6	• ¿
Seaside Sparrow	s				ø	/ 16	30/			1	10		
Fox Sparrow	wkb				:	13				28		ļ	
Song Sparrow	GAWF				- /12				21				
Lincoln's Sparrow	wax		I		- 51		<i>т</i>		25	I		28	
Swamp Sparrow	FXsa						15 221		15				
White-throated Sparrow	dgw					29	i			I	Y		
White-crowned Sparrow	wa					27				21	I		
Harris' Sparrow [*]	wag		位	···· \$\$	ųų.	6*****					12 公式報		··☆☆
Dark-eyed Junco	hgxbw				I	/18 30	0	20		2	Ţ		
Lapland Longspur	mco			26							1		
Smith's Longspur ²²	0	₩										4	
Chestnut-collared Longspur*	0								*		74		
Snow Bunting	шо			:							υ. Π		
Bobolink	Ηf				⁴ 1	ļ	/20	16	ļ	Î	1		*
Red-winged Blackbird	FSHAm				12	/28			14/				

	Ga	AIV	Wa	F.	CaN	MoHo	0	Ba H	HaC	CePGAA	A D	A Ct	t C	h SI	Ch SMKe	e QA	0	n Ta	Do	Ŵ	S	SoWo	Pe	MD
Baird's Sparrow☆						-	-	-	-	-	-	-	-	-	-	-					-	1		-
Grasshopper Sparrow	<u>م</u>	<u> </u>	<u>م</u>	<u> </u>	<u> </u>	۵ 🛛	<u>م</u>	<u>m</u>	<u> </u>	<u>m</u>	<u>م</u>	<u>م</u>	<u>م</u>	6	0	0	<u>6</u>	6	0		8			
Henslow's Sparrow	<u>m</u>	m		-	<u> </u>	I.		I.	-	-	Ŧ.	Ξ·	-	I I I	II	-				I				
Le Conte's Sparrow★					1	-	·		-			•		-			-				-			-
Saltmarsh Sharp-tailed Spar.						-			-	-	-	I	II		II		II		T	0	0			-
Nelson's Sharp-tailed Spar.	-5	43			-				- ~	~				0			~							┢
Seaside Sparrow							-	6					0	· @ [0		0		. 00 1		6	8		
Fox Sparrow								-	-			-	-	-										+
Song Sparrow	<u>m</u>	m 1	<u> </u>	6	œ.	<u>m</u>	<u>m</u>	<u>m</u>	<u> </u>	<u> </u>		0	6	m	8	<u> </u>			0			8		
Lincoln's Sparrow					L	E	L			-														+
Swamp Sparrow	<u> </u>			<u>a</u>	<u>6</u>	<u>m</u>		8	-	T	<u> </u>	<u></u>	0	8	8							L		\vdash
White-throated Sparrow																								
White-crowned Sparrow		-							-														•	-
Harris' Sparrow [*]	43	- 2	÷	-	£	-	÷	-	-	-	3	4												-
Dark-eyed Junco	<u>m</u> II		-		2							2											1	
Lapland Longspur	•		•	-	- L	-	-			-	Ŀ		-	_]]				-
Smith's Longspur ^½					-				-						-	-			-		-	- 1		
Chestnut-collared Longspur★							-				-	-			-							x -		+
Snow Bunting	•		•				-				-	2										K I		
Bobolink	Ω.	۵		<u> </u>	<u>m</u>			-		m														-
Red-winged Blackbird	<u>m</u>	<u> </u>	-	-	۵	-	0	8	m	m.	0		0	0	0	0	0	8	8		8	8	•	+

	Habitat	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Eastern Meadowlark	HSCA					8/			16				
Yellow-headed Blackbird	mc	i	İ	-		<u>د</u>			10	:	:		i
Rusty Blackbird	bf					24							
Brewer's Blackbird	mcs	Î	1	1	1	0					2	I	i
Boat-tailed Grackle	S				24	-		2					
Common Grackle	mDGWc				/27				161				
Brown-headed Cowbird	DWBKc				11/			28/					
Orchard Orlole	M	¥				/13	104 04	14/		ļ	23		
Baltimore Oriole	BGW	İ	İ				12				V.	0	
Bullock's Oriole*	M	4	4							*		·- ☆	
Pine Grosbeak [*]	M	包轄	なるまで	Mar 121								6 × 12 × 12 × 12	大 拉 拉
Purple Finch	pdNg	-			ļ		29 30 7		19				I
House Finch	GUW				11		14						
Red Crossblil	kn	i			i	! 			• • :	•	į		i
White-winged Crossbill*	nk								8		2"		
Common Redpoll	ag	İ			1.	ω.					56		i
Hoary Redpoli*	ag	· 章	· 谷···································	- 谷	-4-					ç		_	
Pine Siskin	gNbv	Į				5.V	1	i	5				
American Goldfinch	WGAV				Į			111		21	ľ		
Evening Grosbeak	gub				-	i				0	!		T
House Sparrow	UGC				/29				11/				

	Ga	A	AI Wa	Ľ	Fr CaMo Ho	Mo	Но	Ba	На	CePGAA	5	A	Ct Ch SMKe QA Cn	sh S	× ×	e O	AO	L L	TaD	<u>></u>	ů.	Do Wi So Wo	Pe		MD
Eastern Meadowlark	<u> </u>	m	m	•	00	<u> </u>	8	ω	<u> </u>	Ω1	m I	<u>م</u>	8	m 1	Ω.	m I	8	<u>م</u>	<u> </u>	<u>م</u>	<u>m</u>	0	0		
Yeilow-headed Blackbird	-{:	-\$6				•		•	•	Ч	•	•			•	•	-	•				-			
Rusty Blackbird		-			L										-L	-	_	-		-	-				
Brewer's Blackbird	-{x	4					8		•	•		•		•		-		-	-		-				
Boat-talled Grackle								\$2				•	-		~	_			0	0	8				
Common Grackle	<u> </u>	-	8		m	<u>m</u>	<u>m</u>	<u>m</u>]	Ξ.	Ξ	<u> </u>	<u>m</u> 1	<u> </u>	0	20	۵	<u> </u>	<u>۵</u>	8	0	8				
Brown-headed Cowblrd	<u> </u>	0	0		m	8	8	m	<u>m</u> 1	m	۵)	m	-	8	۵	0	8	<u>م</u>	<u> </u>	0	8		-		
Orchard Orlole	ωĽ	m	(CD)	2	<u> </u>	8	8	<u> </u>	<u> </u>	8		m	۵.	8	6	8	m	8	œ 🖬	0	0	0	0		
Baltimore Oriole			<u> </u>	<u>m</u>	m	8	Ω.	8	8	Ξ	<u> </u>	0	8	0	œ.	0	0	Ω.	0	0	0		m		
Bullock's Orlole [★]									_			4	_	_		-				*		_			
Pine Grosbeak [*]	*	N	×	*		4	4	*	12		12	47						\$2		12		*		1	
Purple Finch	<u> </u>	-																					_		
House Finch	œ ■	-	m	8		8	8	8	8	0	8	20		8	۵	20	0	0	0	0	<u>۵</u>	0	0		
Red Crossbill		1					•	•		•	•	•		-	•	•	•				-				
White-winged Crossbill [*]	*	14	\$2	*	4	*	5	×	*	4	×	*	52	_	*	- 17	-	-23	-{:	₹2	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~	4		
Common Redpoll	•			-			•			•	•	•	•	•		<u>ر</u> =	-				_				
Hoary Redpoll [★]		4	\$2		22	22	22	22	4			\$2					_					1	*		
Pine Siskin	•	-	L		L	L				Ľ									E						
American Goidfinch	•		<u> </u>	2	22		Ω	<u> </u>	<u> </u>	<u>0</u>		<u>۵</u>	0	<u> </u>	<u>م</u>	8	m	m I	0	<u>m</u>	<u> </u>		m		
Evening Grosbeak	-		С	L	L	Ľ	Ľ									-0									
House Sparrow	<u> </u>	m	8	8	8	8	8	8	8	8	m	Ö	8	8	8	۵	m	8	8	8	8	8	0		

Canada Goose: "Small races" err err ***.29 •**.29	APPENDIX 1	Habitat Jan	Jan	Feb	Mar	Apr	May Jun		Jul	Aug	Sep	Oct	Nov	Dec
a_1^x r_1s r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_2 r_1 r_1 r_2 r_1 r_1 r_1 r_2 r_2 r_1 r_1 r_2 r_2 r_1 r_2	Canada Goose: "small races"	erm									24			i
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Eurasian Green-winged Teal [★]	rfs			4.44	· # 20							24	The state
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	Eastern Willet	Sot	4	6	- 16						~	6	6	6
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Western Willet	ots .	ć	ć	ć	ć	:	6	T				6	2
Wb wa wa wbd w w w w w w w w w w w w w w w w w w	Brewster's Warbler	Wb				25				 = 	14			
wa 22 20 27 30 wbd wbd 22 13 21 30 w 0 5 5 5 24 gdwh 7 th whith the state the	Lawrence's Warbler	Wb				23		•	•	•	0			
http://wbd mail: 18 mail: 1	Western Palm Warbler	wa					27			0°				
 ▲ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○<td>Yellow Palm Warbler</td><td>wbd</td><td></td><td></td><td>22</td><td>•</td><td>13</td><td></td><td></td><td>21</td><td></td><td></td><td></td><td></td>	Yellow Palm Warbler	wbd			22	•	13			21				
0 3dwh → 立 様 中 - 3dwh → 立 様 中 - 28 - 29 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 -	Audubon's Warbler ¹²	*		20 72										×28
gddMh 24 24 28 25 3 26 3 27 3 28 3 29 3 20 3 20 3 21 3 28 3 39 3 30 3 30 3 31 3 32 3 33 3 34 3 35 3 36 3 37 3 38 3 39 3 30 3 31 3 32 3 33 3 34 3 35 3 36 3 37 3 38 3 39 3 39 3 34 3 35 3 36 3 37 3 38 3 39 3 39 3 39 3 39 3 39 39 <td>Ipswich Sparrow</td> <td>0</td> <td></td> <td> </td> <td></td> <td>ιΩ =</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>6 ·</td> <td></td>	Ipswich Sparrow	0				ιΩ =							6 ·	
	Oregon/Pink-sided Junco*		な、なな	「ない」ないです。	*公容 拉	700 1/00						20 20	(A)	教養・☆・

APPENDIX 1	G	A	Wa Fr		CaM	Ca Mo Ho Ba Ha	DBa	На	Cel	CePGAA	A C	Ċ	- NS	Xe	Ö	Ct Ch SM Ke QA Cn	Ta		- ix	Do Wi So Wo Pe	0 P		QW	0
oose: "small races"					-		L			┝			_				Γ				+	-		
Green-winged Teal [★]										R	- 3	3	_				3			-	•	+	+	T
Villet						~			6	-	4						Ξ <u></u>				a m			T
Villet	-				-	0	-		-	•	•	-								-	-			-
s Warbler				•	•					-	•								-	-		-	+-	1
's Warbler	Ľ.	T			-				1	-	-	-							÷	+	╋	╀	+	-
alm Warbler											-							•	•		•	_		
alm Warbler																						-		
s Warbler st					-					-	-	-										-		
Sparrow						-						-			_			•		+-	13		_	
ink−sided Junco [★]	12									2	12			r		*		2	4		4	+-	_	T
				-	-														-	-	_	_		
					_															-				
					_															-		-		
										_	\vdash								-	-	+			
											-								-	-	-	-	-	-
									1	-		_					T		-	-	+	-	\vdash	—
												-			_		1		-			-		
																			-	-	-			_
											-	-	-								-	-		1
			_																		-		-	
																		F	-					

Appendix 2. : Hollow Stars

Hollow stars represent reports which require review and acceptance by MD/DCRC before they are officially included into the record of Maryland birds. Solid Stars indicate reports which have been reviewed and accepted by MD/DCRC. Hollow Stars indicate reports which have either not been reviewed or have not been accepted by MD/DCRC. The following list is of the specific reports reviewed and not accepted by MD/DCRC but included in this publication.

Anhinga:	09/02/78	Ta. [83-06:Not Accepted] MB 34:172
Swallow-tailed Kite:	06/01/79	Ba. [86-07:Not Accepted] MB 35:99
Mississippi Kite	06/03/87	PG. [87-30:Not Accepted] MB 43:98
Curlew Sandpiper:	05/02/59	Wo.[83-18:Not Accepted] MB 15:51
Roseate Tern:	04/12/77	Ba. [85-25:Not Accepted] MB 33:124
Rufous Hummingbird:	11/08/52	Fr. [90-12:Not Accepted] MB 10:36
Red-cockaded Woodpecker:	06/22/84	SM.[89-02:Not Accepted] MBB Atlas
Northern Shrike:	01/26/91	Ho. [92-19:Not Accepted] MB 47:46
Chestnut-collared Longspur:	10/30-31/70	AA. [83-30:Not Accepted] MB 26:115

Appendix 3 : Unsubstantiated Species

The MD/DCRC does not maintain a list of hypothetical species. The following species have been reported in Maryland but insufficent information has been obtained to substantiate the identification or that the bird was of wild origin. These differ from the species on the main list indicated with hollow stars. All of those on the main list have substantial documentation and are awaiting final review.

Black-capped Petrel:	06/14/80	Pe.	[83-17] MB 36:131
Trumpeter Swan:	01/25/92-02/23/92 02/21/96	Mo./Ho. Mo.	[xx218] AB 46:247 [xx394]
Barnacle Goose:	10/13/86	Wi.	[88-24][Origin Uncertain] MB 44:35
White-tailed Kite:	10/26/90	Al.	[91-29]
Gyrfalcon:	02/04-19/94	Fr.	[95-17] MB 51:85
Black-tailed Gull:	07/04-09/84	AA.	[85-16][Origin Uncertain] MB 40:98
White-winged Tern	08/06/94 08/14/94	Wo. SM.	[95-19] [95-20]
Black Guillemot:	03/11/93	AA.	[94-03][Accepted:Genus only]
Green-tailed Towhee:	01/??/69	Ba.	[xx312] MB 25:63
Spotted Towhee:	12/17/94	Mo.	[xx288]

Maryland/District of Columbia Records Committee [MD/DCRC]

The MD/DCRC was established in 1982 as a committee of the Maryland Ornithological Society [MOS]. The function of the Committee is to:

- (1) review reports of unusual sightings within its area of coverage;
- (2) determine the adequacy of documentation of such reports;
- (3) maintain a State List of Birds for Maryland;
- (4) maintain a District List of Birds for the District of Columbia;
- (5) publish periodic reports of its findings; and
- (6) maintain in a file accessible to interested persons the primary reports, the deliberations of the Committee, and, in some instances, opinions received from outside experts and/or copies of some of the relevant literature.

By these steps the Committee aims to convert reports of sightings into documented records that can be used reliably for scientific studies of bird distribution and patterns of avian vagrancy.

The MD/DCRC consists of nine-voting members, a chairman and a nonvoting secretary. Voting members serve 3-year terms. The voting members review the documentation provided for each report and assess whether or not this information adequately supports the claimed identification. Reports may receive multiple circulations among committee members depending upon the number of votes to accept or not accept a given record. The Committee has a stated "Goals, Policies, Criteria for Acceptance, and Procedures" which is available from the Secretary and details the functions of the Committee.

Participation by the birding community is vital to the success of the MD/DCRC. Reports should be sent to Phil Davis, MD/DCRC Secretary, 2549 Vale Court, Davidsonville, MD 21035. The current list of reports the Committee will review is as follows:

Maryland/District of Columbia Records Committee



Review List: April 1, 1996

The MD/DC Records Committee reviews reports of birds observed in Maryland or the District of Columbia that meet any of the following criteria:

1. Any species observed in Maryland which is not on the *Field List of the Birds of Maryland* (Iliff, Ringler & Stasz, 3rd edition, 1996).

2. Any species observed in the District of Columbia which is not on the official District of Columbia List (DeSante and Pyle, 1986).

3. Any of the following species if observed in Maryland or the District of Columbia:

Western Grebe Yellow-nosed Albatross White-faced Storm-Petrel Band-rumped Storm-Petrel American White Pelican Anhinga Fregata, species Roseate Spoonbill Wood Stork Fulvous Whistling-Duck Black-bellied Whistling-Duck Cinnamon Teal Tufted Duck Barrow's Goldeneve Masked Duck Swallow-tailed Kite Mississippi Kite Swainson's Hawk Yellow Rail Corn Crake Purple Gallinule Limpkin Eskimo Curlew Long-billed Curlew Little Stint Curlew Sandpiper

Long-tailed laeger South Polar Skua Mew Gull California Gull Yellow-legged Gull Ross' Gull Sabine's Gull Roseate Tern Arctic Tern Sooty Tern Common Murre Thick-billed Murre White-winged Dove Common Ground-Dove Groove-billed Ani Burrowing Owl Rufous Hummingbird Selasphorus, species Red-cockaded Woodpecker Western Wood-Pewee Hammond's Flycatcher Vermilion Flycatcher Ash-throated Flycatcher Grav Kingbird Scissor-tailed Flycatcher Fork-tailed Flycatcher

Boreal Chickadee Bewick's Wren Northern Wheatear Mountain Bluebird Townsend's Solitaire Varied Thrush Sage Thrasher **Bohemian Waxwing** Northern Shrike Black-throated Gray Warbler Western Tanager Black-headed Grosbeak Lazuli Bunting Painted Bunting Bachman's Sparrow Lark Bunting Baird's Sparrow Le Conte's Sparrow Harris' Sparrow Smith's Longspur Bullock's Oriole Pine Grosbeak White-winged Crossbill Hoary Redpoll

4. Subspecies or forms of species not known to occur regularly in Maryland or the District of Columbia, including:

Eurasian Green-winged Teal Audubon's Warbler Dar

Dark-eyed Junco (other than Slate-colored)

5. Species meeting the indicated range criteria:

A. These species if seen other than coastal Worcester County or over the ocean:

Northern Fulmar Cory's Shearwater Greater Shearwater Sooty Shearwater Manx Shearwater Audubon's Shearwater Leach's Storm-Petrel Wilson's Plover Great Skua Black-legged Kittiwake Bridled Tern Dovekie Razorbill Atlantic Puffin B. These species if seen in the Chesapeake Bay north of Anne Arundel and Queen Anne's countiles; or on the Potomac River north of Charles County; or inland:

- Wilson's Storm-Petrel Northern Gannet Brown Pelican Common Eider King Eider
- Harlequin Duck Clapper Rail Piping Plover American Oystercatcher Pomarine Jaeger
- Parasitic Jaeger Gull-billed Tern Sandwich Tern Boat-tailed Grackle

C. These species if seen west of the Coastal Plain or along the Susquehanna River upstream from the Conowingo Dam:

Great Cormorant	Ruff	Least Tern
Black Rail	Little Gull	Black Skimmer
Black-necked Stilt Purple Sandpiper	Black-headed Gull Royal Tern	Seaside Sparrow

D. These species if seen west of the Piedmont:

Eared Grebe Tricolored Heron	Laughing Gull Iceland Gull	Clay-colored Sparrow
		Lark Sparrow
Sandhill Crane	Thayer's Gull	Saltmarsh Sharp-tailed Spar.
Whimbrel	Lesser Black-backed Gull	Nelson's Sharp-tailed Spar.
Hudsonian Godwit	Glaucous Gull	Yellow-headed Blackbird
Marbled Godwit	Great Black-backed Gull	Brewer's Blackbird
Red Phalarope	Western Kingbird	

E. These species with restricted ranges in Maryland:

Ross' Goose	Away from the Eastern Shore.
Franklin's Gull	Areas other than on the coastal plain west of the Chesapeake Bay (including the Susquehanna River up to Conowingo) from Anne Arundel and Prince George's counties north.
Northern Raven	South or east of Frederick County.
Brown-headed Nuthatch	On the Eastern Shore north of Queen Anne's County; and the Western Shore except in Saint Mary's County.
Swainson's Warbler	Outside the Pocomoke River area.

The species names and taxomony of this list conform to the American Ornithologists' Union Check-list of North American Birds, 1983, and supplements 35 through 40.

Please submit reports of any bird sightings meeting these criteria to:

Phil Davis MD/DC Records Committee Secretary 2549 Vale Court Davidsonville, MD 21035 (301) 261-0184 email: PDavis@OAO.com

A documentation guideline/checklist containing points to include in sighting reports is available from the secretary.